



IMPROVED GUN DESIGN



New design gun has three types:

- *B1002A* for Aoyue 474A+ and Aoyue 701A+ (24V)
- *B1002B* for Aoyue 474 and Aoyue 701 (36V)
- *B1003A* compatible with Aoyue Int2702 and Aoyue Int2702A+.

OLD GUN DESIGN



Old design gun has two types:

- *B1002* for Aoyue 474 and Aoyue 701 (36V)
- *B1003* for Int2702.

HEATING ELEMENT



Old design has two model numbers:

- *C005* used in B1002 gun
- *C006* used in B1003 gun

New design has three model numbers:

- *C005A* used in B1002A gun
- *C005B* used in B1002B gun
- *C006A* used in B1003A gun

DESOLDERING NOZZLES



Old design used in B1002 and B1003 gun.

Has 3 sizes:

- 202082 (1.5mm)
- 202092 (1.0mm)
- 201212 (1.8mm)

New design used in B1002A, B1002B and B1003A.

Has 3 sizes:

- 302082 (1.0mm)
- 302092 (1.5mm)
- 301212 (1.8mm)

OLD HEATING ELEMENT AND NOZZLES WILL BE DISCONTINUED, FOR OLD GUNS TO ADAPT TO NEW NOZZLES AND HEATING ELEMENT, THE TIP LOCK CYLINDER AND HEAT PROTECTOR SHOULD BE CHANGED.

TIP LOCK CYLINDER



HEAT GUARD ASSEMBLY

